

FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-1140
New Diesel or Incomplete
Medium-Duty Vehicles Using Certified Engines

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC) Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the diesel or incomplete medium-duty vehicles with a manufacturer's gross vehicle weight rating (GVWR) from 8,501 to 14,000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

			ENGIN	E DESCRIPTI	ON				
MANUFACTURER	MODEL	EXECUTIVE	ENGINE FAMILY	EMISSION STANDARD	ENGINE SIZE	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas) Gasoline		STANDARDS & TEST PROCEDURE	
FORD MOTOR	YEAR	ORDER		CATEGORY	(liter)				
COMPANY	2003	A-010-1139	3FMXH05.4TH5	ULEV	5.4			Otto	
Gasoline, LPG or A	Alcohol Veh	icles Only	VEHICLE MODEL YEAR	ON-BOA	RD DIAGN	OSTIC		·	
EVAPORATIVE	FUEL TANK		2003	Full Compliance		ENGINE MODELS / CODES (rated power in horsepower, hp)			
FAMILY	CAPACIT	Y (gallons)	VEHICLE	MAKE & MOD	ELS		(rated power in norsepo	ower, np)	
3FMXE0155BAH		37		ay, E-350 Cutaway Extended,) Strip Chassis		3E414R0B05, 3E414X0505 (255 hp)			
3FMXE0310BAH		55	Ford: E-350 Strip Chassis, E-350 Cutaway		3E414U0B05 (255 hp)				
3FMXE0155BAH	18.	4 / 40	Ford F-350 Narrow Frame Chassis Cab			3F714N0B05 (260 hp)			
3FMXE0155BBH	2	9.6	Ford F-250/F-350 Short Bed Delete			3F714G0B05 (260 hp)			
3FMXE0155BBH	3	7.4	Ford F-250/F-350 Long Bed Delete			3F714F0B05 (260 hp)			

The following are the exhaust emission standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) in grams per brake horsepower-hour (g/bhp-hr) for this engine family for non-methane hydrocarbon (NMHC) plus oxides of nitrogen (NOx) (NMHC+NOx), NMHC, carbon monoxide (CO) [except that "diesel" CO certification compliance may have been demonstrated pursuant to Code of Federal Regulations, Title 40, Section 86.091-23(c)(2)(i) in lieu of testing], particulate matter (PM), and formaldehyde (HCHO) (Title 13, California Code of Regulations, (13 CCR) Section 1956.8): (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel.)

* = not applicable [g/bhp-hr]	NMHC+NOx	NMHC	CO	PM	нсно
(DIRECT) STANDARD	2.5	*	14.4	*	0.050
CORPORATE AVERAGE STANDARD	*	*	*	*	*
FAMILY EMISSION LIMIT (FEL)	*	*	±	*	*
CERTIFICATION LEVEL	1.1	*	2.2	*	0.005

BE IT FURTHER RESOLVED: That certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: That the listed engine models have been certified to the optional emission standards and test procedures in 13 CCR Section 1956.8 applicable to diesel or incomplete medium-duty vehicles with a GVWR from 8,501 to 14,000 pounds and, therefore, shall be subject to 13 CCR Section 2139(c) (in-use testing of engines certified for use in diesel or incomplete medium-duty vehicles with a 8,501-14,000 pound GVWR).

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR Sections 1965 (emission control labels), 1968.1 (on-board diagnostic, full or partial compliance), 1976(b)(1)(B) and (C) {evaporative emission standards}, 2035 et seq. (emission control warranty), and 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of July 2002.

Allen Lyons, Chief

Mobile Source Operations Division

2003 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **HEAVY DUTY OTTO-CYCLE ENGINES**

Displacement: 5.4L Liter 326 Cubic Inches All Eng Codes in Eng Family: CA_X 49S_ 50S_X Fuel Type(s): Dedicated_X Flex Fuel_ Dual-Fuel_ Bi-Fuel_ Gasoline_X CNG_ LNG_ LPG_ M85_ M100_ Other (specify) Maximum Rated Power: 26D HP @ 4500 RPM F - Series Engine Configuration_V8 Exhaust Control System and Special Features TWC, 2HO2S, HO2S, SFI (Use abbreviations per SAE J1930 SEP91) Engine Model Ign. System Fuel System Catalyst Injector	Manufacturer: Ford Motor Company	, -	Engine Family: 3FMXH0	05.4TH5				
All Eng Codes in Eng Family: CA_X49S50S_X_ Fuel Type(s): Dedicated_XFlex Fuel Dual-Fuel Bi-Fuel Gasoline_X CNG LNG LPG M85 M100 Other (specify) Maximum Rated Power:	Displacement: <u>5.4L</u> Liter <u>326</u>	Cubic Inches						
LNG_ LPG_ M85_ M100_ Other (specify) Maximum Rated Power: 260 HP @ 4500 RPM F · Series Engine Configuration V8 Exhaust Control System and Special Features TWC, 2HO2S, HO2S, SFI (Use abbreviations per SAE J1930 SEP91) Engine Model Ign. System Fuel System Catalyst Injector Part No. Part No. Part No12A6509F5935E212- F-Series F-350 4x2, 4x4, Chassis Cab, Narrow Frame (40gal, or optional 18.4gal) 1 3F714N0B05 3C3A - DB FOTE-DB 2C2C-HC F-250/350 4x2, 4x4, Long Bed Delete (37.4 gal) 2 3F714F0B05 3C3A - AB " F-250/350 4x2, 4x4, Short Bed Delete (29.6 gal) 2 3F714G0B05 3C3A - BB " 1 Evap Family 3FMXE0155BBH			<u> </u>					
LNG_ LPG_ M85_ M100_ Other (specify) Maximum Rated Power: 260 HP @ 4500 RPM F · Series Engine Configuration V8 Exhaust Control System and Special Features TWC, 2HO2S, HO2S, SFI (Use abbreviations per SAE J1930 SEP91) Engine Model Ign. System Fuel System Catalyst Injector Part No. Part No. Part No12A6509F5935E212- F-Series F-350 4x2, 4x4, Chassis Cab, Narrow Frame (40gal, or optional 18.4gal) 1 3F714N0B05 3C3A - DB FOTE-DB 2C2C-HC F-250/350 4x2, 4x4, Long Bed Delete (37.4 gal) 2 3F714F0B05 3C3A - AB " F-250/350 4x2, 4x4, Short Bed Delete (29.6 gal) 2 3F714G0B05 3C3A - BB " 1 Evap Family 3FMXE0155BBH				X CNG				
Maximum Rated Power:								
Engine Model (Engine Code) Ign. System Fuel System Catalyst	Maximum Rated Power: 260 HP @ 4500 RPM F-Series Engine Configuration V8							
Engine Model (Engine Code) or PCM Injector Part No. Part No12A6509F5935E212- F-Series F-350 4x2, 4x4, Chassis Cab, Narrow Frame (40gal, or optional 18.4gal) 1 3F714N0B05 3C3A - DB F0TE-DB 2C2C-HC F-250/350 4x2, 4x4, Long Bed Delete (37.4 gal) 2 3F714F0B05 3C3A - AB " F-250/350 4x2, 4x4, Short Bed Delete (29.6 gal) 2 3F714G0B05 3C3A - BB " 1 Evap Family 3FMXE0155BAH 2 Evap Family 3FMXE0155BBH	TWC 2HO2S HO2S SFI							
F-350 4x2, 4x4, Chassis Cab, Narrow Frame (40gal, or optional 18.4gal) 3F714N0B05 3C3A - DB FOTE-DB 2C2C-HC F-250/350 4x2, 4x4, Long Bed Delete (37.4 gal) 2 3F714F0B05 3C3A - AB " F-250/350 4x2, 4x4, Short Bed Delete (29.6 gal) 2 3F714G0B05 3C3A - BB " 1 Evap Family 3FMXE0155BAH 2 Evap Family 3FMXE0155BBH		or PCM Part No.	Injector Part No.	Part No.				
3F714F0B05 3C3A - AB F-250/350 4x2, 4x4, Short Bed Delete (29.6 gal) ² 3F714G0B05 3C3A - BB " ¹ Evap Family 3FMXE0155BAH ² Evap Family 3FMXE0155BBH	F-350 4x2, 4x4, Chassis Cab, Narrow Fran	ne (40gal, or opti 3C3A - DB	onal 18.4gal) ¹ F0TE-DB	2C2C-HC				
3F714G0B05 1 Evap Family 3FMXE0155BAH 2 Evap Family 3FMXE0155BBH	F-250/350 4x2, 4x4, Long Bed Delete (37.4)	4 gal) ² 3C3A - AB	n	и				
² Evap Family 3FMXE0155BBH	F-250/350 4x2, 4x4, Short Bed Delete (29. 3F714G0B05	6 gal) ² 3C3A - BB		II				
Comments:	Lvap Family SPINIAEO 1998							
	Comments:							

Engine Family: 3FMXH05.4TH5 Issued: May 30, 2002

Revised:

17.02 - 1b

2003 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **HEAVY DUTY OTTO-CYCLE ENGINES**

Manufacturer: Ford Motor Company	. Е	ngine Family: <u>3FMXH05</u>	<u>.4TH5</u>				
Displacement: <u>5.4L</u> Liter <u>326</u>	_ Cubic Inches						
All Eng Codes in Eng Family: CA_X_ 49S 50S_X_							
Fuel Type(s): Dedicated X Flex F	uel Dual-Fuel	Bi-Fuel GasolineX	CNG				
LNG LPG M85	M100 Other	(specify)					
Maximum Rated Power: <u>255 HP @ 4500 RPM E-Series</u> Engine Configuration <u>V8</u>							
Exhaust Control System and Special Features TWC, 2HO2S, HO2S, SFI (Use abbreviations per SAE J1930 SEP91)							
Engine Model	Ign. System or PCM Part No. -12A650-	Fuel System Injector Part No. -9F593-	Catalyst				
(Engine Code)			Part No. -5E212-				
E-Series E-350 Strip Chassis, E350 Cutaway (37gal) 3E414R0B05) ¹ 3C2A - DB	F0TE-DB	1C2C-CB				
E-350 Strip Chassis, E350 Cutaway (55gal) 3E414U0B05) ² 3C2A - EB	u	11				
E-350 Cutaway Extended (37gal) ¹ 3E414X0505	3C2A - FB	n .	"				
¹ Evap Family 3FMXE0155BAH			•				
² Evap Family 3FMXE0310BAH							
Comments:							

Engine Family: 3FMXH05.4TH5 Issued: May 30, 2003

Revised:

17.02 - 1a